

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2574	(336/200,223,232):CCLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 09:57
L2	617	1 and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:05
L3	21	2 and (port WITH signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:21
L4	5088	different\$3 WITH inductor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:22
L5	212	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:22
L6	74	5 and insula\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:22
L7	145	5 and insula\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 10:22